



"YOUR COMPLETE SERVICE CENTER"

**Channels-Bar Size
ASTM A-36**



Size in Inches	Weight, Pounds	
	Per Ft.	of 20' Bar
$\frac{3}{4}$ x $\frac{3}{8}$ x $\frac{1}{8}$.56	11.2
$\frac{7}{8}$ x $\frac{3}{8}$ x $\frac{1}{8}$.65	13.0
1 x $\frac{3}{8}$ x $\frac{1}{8}$.68	13.6
1 x $\frac{1}{2}$ x $\frac{1}{8}$.83	16.6
$1\frac{1}{8}$ x $\frac{9}{16}$ x $\frac{3}{16}$	1.20	24.0
$1\frac{1}{4}$ x $\frac{1}{2}$ x $\frac{1}{8}$	1.01	20.2
$1\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{8}$	1.12	22.4
$1\frac{1}{2}$ x $\frac{9}{16}$ x $\frac{3}{16}$	1.44	28.8
$1\frac{1}{2}$ x $\frac{3}{4}$ x $\frac{1}{8}$	1.17	23.4
2 x $\frac{1}{2}$ x $\frac{1}{8}$	1.43	28.6
2 x $\frac{9}{16}$ x $\frac{3}{16}$	1.86	37.2
2 x $\frac{5}{8}$ x $\frac{3}{16}$	1.98	39.6
2 x $\frac{5}{8}$ x $\frac{1}{4}$	2.18	43.6
2 x 1 x $\frac{1}{8}$	1.78	35.6
2 x 1 x $\frac{3}{16}$	2.59	51.8
$2\frac{1}{2}$ x $\frac{5}{8}$ x $\frac{3}{16}$	2.27	45.4


**Stringer Channels
ASTM-A36**



Nominal Size, Inches	Weight per Ft., Lb.	Web Thickness, Inches	Flange Width, Inches
8	8.5	.180	1.875
10	6.5	.150	1.125
	8.4	.170	1.500
12	10.6	.190	1.500

GALVANIZING

Many sizes are available from stock. All other sizes can be quickly GALVANIZED




Structural Channels ASTM A-36

Depth of Channel & Wt. per Ft.	Thickness of Web in Inches	Width of Flange in Inches
3" x 4.1 lbs.	.170	1.410
5.0 lbs.	.258	1.498
6.0 lbs.	.356	1.596
4" x 5.4 lbs.	.180	1.580
7.25 lbs.	.320	1.720
5" x 6.7 lbs.	.190	1.750
9.0 lbs.	.325	1.885
6" x 8.2 lbs.	.200	1.920
10.5 lbs.	.314	2.034
13.0 lbs.	.437	2.157
7" x 9.8 lbs.	.210	2.090
12.25 lbs.	.314	2.194
14.75 lbs.	.419	2.299
8" x 8.5 lbs.	.180	1.875
11.5 lbs.	.220	2.260
13.75 lbs.	.303	2.343
18.75 lbs.	.487	2.527
9" x 13.4 lbs.	.230	2.430
15.0 lbs.	.285	2.485
20.0 lbs.	.448	2.648
10" x 15.3 lbs.	.240	2.600
20.0 lbs.	.379	2.739
25.0 lbs.	.526	2.886
30.0 lbs.	.673	3.033
12" x 20.7 lbs.	.280	2.940
25.0 lbs.	.387	3.047
30.0 lbs.	.510	3.170
15" x 33.9 lbs.	.400	3.400
40.0 lbs.	.520	3.520
50.0 lbs.	.716	3.716



"YOUR COMPLETE SERVICE CENTER"

**MC CHANNELS
ASTM-A36**



Section Number	Weight Per Ft.	Depth of Section	Flange		Web Thickness
			Width	Thickness	
	lb.	in.	in.	in.	in.
MC3 x	7.1	3	2		5/16
MC4 x	13.8	4	2 1/2		1/2
MC6 x	12.0	6	2 1/2	3/8	5/16
MC6 x	15.1	6	3	1/2	5/16
	16.3	6	3	1/2	3/8
MC6 x	15.3	6	3 1/2	3/8	5/16
MC6 x	18.0	6	3 1/2	1/2	3/8
MC7 x	17.6	7	3	1/2	3/8
	19.1	7	3 1/2	1/2	3/8
	22.7	7	3 3/8	1/2	1/2
MC8 x	18.7	8	3	1/2	3/8
	20.0	8	3	1/2	3/8
MC8 x	21.4	8	3 1/2	1/2	3/8
	22.8	8	3 1/2	1/2	7/16
MC9 x	23.9	9	3 1/2	9/16	3/8
	25.4	9	3 1/2	9/16	7/16
MC10 x	22.0	10	3 3/8	9/16	5/16
	25.0	10	3 3/8	9/16	3/8
	28.5	10	4	9/16	7/16
	33.6	10	4 1/8	9/16	3/16
	41.1	10	4 3/8	3/16	13/16
MC12 x	31.0	12	3 3/8	1 1/16	3/8
	35.0	12	3 3/4	1 1/16	7/16
	40.0	12	3 7/8	1 1/16	9/16
	45.0	12	4	1 1/16	1 1/16
	50.0	12	4 1/8	1 1/16	13/16
MC13 x	31.8	13	4	5/8	3/8
	35.0	13	4 1/8	5/8	7/16
	40.0	13	4 1/8	5/8	9/16
	50.0	13	4 3/8	5/8	13/16
MC18 x	42.7	18	4	5/8	7/16
	45.8	18	4	5/8	1/2
	51.9	18	4 1/8	5/8	5/8
	58.0	18	4 1/4	5/8	1 1/16